



टेलीफोन/Telephone: 040-23811481 फैक्स/Fax: 040-23811483

ईमेल/email: hyderabad@cdsco.nic.in

Government of India

कंदीय औषध मानक नियंत्रण संगठन / Central Drugs Standard Control Organization आंचलिक कार्यालय, सी. डी. एस. सी. ओ. भवन, हैदराबाद / Zonal Office, CDSCO BHAVAN, Hyderabad. स्वास्थ्य एवं परिवार कल्याण मंत्रालय / Ministry of Health & Family Welfare, स्वास्थ्य सेवा महानिदेशालय / Directorate General of Health Services.

एस.आर. नगर, हैदराबाद - ५०००३८ / S.R. Nagar, Hyderabad - 500038 ISO 9001: 2015 Certified Organization

संदर्भ सं. /Ref: 5-5(87)/HZ/2020/ 57-

दिनांक/Date: 20 -04-2020

The Joint Director and Licensing Authority, Drugs Control Administration, Government of Telangana, Vengalarao nagar, Hyderabad-500 038

Sub: Application from "M/s. Horizon Biolabs Pvt. Ltd., Plot No. 611, Sy.No. 374, CIE, Gandhinagar Expansion, Balanagar, Quthbullapur (M), Rangareddy (D), Telagnana -500037 for grant of approval for Form 37"- Regarding.

Ref:

- 1. Application submitted by the firm vide letter No. Nil dated 13.02.2020 and received to this office on 17.02.2020
- 2. This office letter reference no 5-5(87)/HZ/2020/7745 dated 26.02.2020 to submit deficient documents
- 3. This office letter reference no. 5-5(87)/HZ/2020/7918 dated 05.03.2020 to conduct inspection
- 4. Compliance response submitted by the firm vide letter dated 26.03.2020 and this office receipt no 5430 dated 27.03.2020
- 5. This office letter reference no. 5-5(87)/HZ/2020/08 dated 01.04.2020 to submit deficient
- 6. Compliance response submitted by the firm vide letter dated 6.04.2020 and this office receipt no 9849 dated 7.04.2020

Sir,

With reference to subject cited, Joint Inspection of M/s. Horizon Biolabs Pvt. Ltd., Plot No. 611, Sy.No. 374, CIE, Gandhinagar Expansion, Balanagar, Quthbullapur (M), Rangareddy (D), Telagnana - 500037 was conducted on 17.03.2020 & 18.03.2020 by Mr. Narendra Kumar & Mr. Venumadhav, DI, CDSCO, Hyderabad along with Mr. M Chandrasekhar, DI. DCA. Telangana. During inspection certain anomalies were noted by the inspecting team and for which firm has submitted the compliance response vide reference (4&6).

In view of above, it is opined that grant of license under Form 37 for chemical & instrumentation analysis (GC, HPLC, Dissolution apparatus, UV-Visible Spectro photometer, FT-IR, DSC, TGA, Photo stability chamber and stability chambers) and microbiological analysis (MLT & Sterility test) may be considered

Yours Sincerely

(A Visala)

Deputy Drugs Controller (I)

Encl: Copy of Joint Inspection Report

Copy to: M/s. Horizon Biolabs Pvt. Ltd., Plot No. 611, Sy.No. 374, CIE, Gandhinagar Expansion, Balanagar, Quthbullapur (M), Rangareddy (D), Telagnana - 500037